

## **Customer Information Notification**

Issue Date: 05-Apr-2017 Effective Date: 06-Apr-2017

Here's your personalized quality information concerning products Digi-Key purchased from NXP. For detailed information we invite you to view this notification online

## 201702030I



# QUALITY

[]Test

[]Test

Location

Process

[]Test

Packing/Shipping/Labeling Equipment spec./Test

[X] Design

[] Errata

[] Electrical

coverage

### Change Category

[] Wafer Fab Process

[] Wafer Fab Materials

[] Wafer Fab Location

MPC57xx Flash Erase-Suspend and Erase-Abort Operation Engineering Bulletin

#### Information Notification

Engineering bulletin EB851: "MPC57xx Flash Erase-Suspend and Erase-Abort" has been published.

The engineering bulletin is attached to this notice and can be found on nxp.com, on the Documentation page for each MPC57xx device.

[] Assembly[] Product Marking

Specification

[] Assembly[] Mechanical

Process

Materials

Location

[] Assembly[]

For example:

http://www.nxp.com/products/automotive-products/microcontrollers-and-processors/32-bit-powerarchitecture/ultra-reliable-mpc57xx-32-bit-automotive-industrial-microcontrollers-mcus/ultra-reliable-mcusfor-automotive-industrial-control-and-gateway:MPC574xB-C-G?tab=Documentation\_Tab **Why do we issue this Information Notification** Engineering bulletin "MPC57xx Erase-Suspend and Erase-Abort" has been published. **Identification of Affected Products** Product identification does not change

Impact

no impact to the product's functionality anticipated.

No changes have been made to the current production devices. The engineering bulletin clarifies existing conditions identified on current production devices.

**Contact and Support** 

For all inquiries regarding the ePCN tool application or access issues, please contact NXP "Global Quality Support Team".

For all Quality Notification content inquiries, please contact your local NXP Sales Support team.

For specific questions on this notice or the products affected please contact our specialist directly:NameJanna GarofoloPositionAutomotive Applications Engineering Manager<br/>janna.garofolo@nxp.com

At NXP Semiconductors we are constantly striving to improve our product and processes to ensure they reach the highest possible Quality Standards.

Customer Focus, Passion to Win.

NXP Quality Management Team. About NXP Semiconductors

NXP Semiconductors N.V. (NASDAQ: NXPI) provides High Performance Mixed Signal and Standard Product solutions that leverage its leading RF, Analog, Power Management, Interface, Security and Digital Processing expertise. These innovations are used in a wide range of automotive, identification, wireless infrastructure, lighting, industrial, mobile, consumer and computing applications.

You have received this email because you are a designated contact or subscribed to NXP Quality Notifications. NXP shall not be held liable if this Notification is not correctly distributed within your organization.

This message has been automatically distributed. Please do not reply.

NXP | Privacy Policy | Terms of Use NXP Semiconductors High Tech Campus, 5656 AG Eindhoven, The Netherlands © 2006-2010 NXP Semiconductors. All rights reserved.

Changed Orderable Part#	Changed Part 12NC	Changed Part Number	Changed Part Description	Package Name	Status	Product Line
SPC5746CSK1MMH6	935316141557	SPC5746CSK1MMH6	"32 BIT,3M FLASH,384 RAM"	LBGA100	RFS	BL Auto Micro Processors
SPC5748GK1MKU6	935322387557	SPC5748GK1MKU6	"32 BIT,6MB FLASH,768 RAM"	HLQFP176	CQS	BL Auto Micro Processors
SPC5748GGK1MMJ6	935316302557	SPC5748GGK1MMJ6	"32 BIT,6MB FLASH,768 RAM"	LBGA256	RFS	BL Auto Micro Processors
SPC5743RK1MLQ5	935324937557	SPC5743RK1MLQ5	"32 BIT, 2M FLASH,200MHz"	LQFP144	RFS	BL Auto Micro Processors
SPC5746CSK1MMJ6	935312542557	SPC5746CSK1MMJ6	"32 BIT,3M FLASH,384 RAM"	LBGA256	RFS	BL Auto Micro Processors
SPC5748GK1MMJ6	935312772557	SPC5748GK1MMJ6	"32 BIT,6MB FLASH,768 RAM"	LBGA256	RFS	BL Auto Micro Processors
SPC5777CK2MME3	935318579557	SPC5777CK2MME3	"Power Arch cores, 8MB FI"	BGA416	DOD	BL Auto Micro Processors
SPC5748GK1MMN6	935316042557	SPC5748GK1MMN6	32 BIT,6MB FLASH,768 RAM	LBGA324	CQS	BL Auto Micro Processors
SPC5743RK1MLU5	935318672557	SPC5743RK1MLU5	2 x eTPU2+ 4M FLASH	LQFP176	RFS	<b>BL Auto Micro Processors</b>
SPC5777CK3MME3	935320923557	SPC5777CK3MME3	"Power Arch cores, 8MB FI"	BGA416	RFS	<b>BL Auto Micro Processors</b>
SPC5744PFK1AMLQ9	935316242557	SPC5744PFK1AMLQ9	C55G-PANTHER (Cut 2.2B)	LQFP144	RFS	<b>BL Auto Micro Processors</b>
SPC5777CK3MMO3	935318909557	SPC5777CK3MMO3	"Power Arch cores, 8MB FI"	BGA516	RFS	<b>BL</b> Auto Micro Processors
SPC5777MK0MVU8	935320541557	SPC5777MK0MVU8	QUAD CORE 8M FLASH	BGA416	RFS	BL Auto Micro Processors
SPC5744PGK1AMMM9	935325066557	SPC5744PGK1AMMM9	"2.5MB, 384K RAM, FlexRay"	LFBGA257	RFS	BL Auto Micro Processors
SPC5777CK2MMO3	935315708557	SPC5777CK2MMO3	"Power Arch cores, 8MB FI"	BGA516	DOD	BL Auto Micro Processors
SPC5777MK0MVA8	935315463557	SPC5777MK0MVA8	QUAD CORE 8M FLASH 404K	FBGA512	RFS	BL Auto Micro Processors
SPC5746RK1MMT5	935318627557	SPC5746RK1MMT5	32 BIT 4MB FLASH	LFBGA252	RFS	BL Auto Micro Processors
SPC5746CSK1MKU6	935322183557	SPC5746CSK1MKU6	"32 BIT,3M FLASH,384 RAM"	HLQFP176	RFS	<b>BL Auto Micro Processors</b>