# onsemi

Final Product/Process Change Notification Document #:FPCN23819X Issue Date:28 Dec 2021

Title of Change:	Qualify mold compound EME-G770HM type D for XDFN devices assembled in onsemi Leshan facility.		
Proposed First Ship date:	04 Apr 2022 or earlier if approved by customer		
Contact Information:	Contact your local onse	emi Sales Office or Jim.Pen	g@onsemi.com
PCN Samples Contact:	Contact your local onsemi Sales Office. Sample requests are to be submitted no later than 30 days from the date of first notification, Initial PCN or Final PCN, for this change. Samples delivery timing will be subject to request date, sample quantity and special customer packing/label requirements.		
Additional Reliability Data:	Contact your local onse	emi Sales Office or c.l.yang	@lps.com.cn
Type of Notification:	This is a Final Product/Process Change Notification (FPCN) sent to customers. FPCNs are issued 90 days prior to implementation of the change. onsemi will consider this change accepted, unless an inquiry is made in writing within 30 days of delivery of this notice. To do so, contact PCN.Support@onsemi.com		
Marking of Parts/ Traceability of Change:	Assembly Lot Number		
Change Category:	Assembly Change		
Change Sub-Category(s):	Material Change		
Sites Affected:			
onsemi Sites		External Foundry/Sub	con Sites
Leshan Phoenix Semiconductor, China		None	
Description and Purpose:			
			nd at the same site. Datasheet specifications and acterization over temperature was performed.
Material to be change	Before Chang	e Description	After Change Description
Mold Compound	EME-G750N		EME-G750N EME-G770HM type D

There is no part number and product marking change as a result of this change.

# onsemi

Final Product/Process Change Notification Document #:FPCN23819X Issue Date:28 Dec 2021

**Reliability Data Summary:** 

### Qual Vehicle Device: NSVBAS21MX2WT5G RMS: 77121 Package: X2DFN

Test	Specification	Condition Interval		Results
HTRB	JESD22-A108	Tj= max, V=100% rated V	V 1008 hrs	
HTSL	JEDS22- A103	Temp.=150°C,no bias	Temp.=150°C,no bias 2016 hrs	
PC	JESD22-A113	MSL 1 @ 260 °C	@ 260 °C Before TC, UHAST, HAST, IOL	
HAST	JESD22 A110	130C/85%RH, 80% rated V or 100V max	192 hrs	0/231
TC	JESD22 A104	Ta= - 65°C to +150°C	1000 сус	0/231
UHAST	JESD22 A118	Ta=130C, 85% RH, no bias	96 hrs	0/231
IOL	MIL-STD-750	Ta=+25°C, delta Tj=100°C, On/off = 2 min	30000 cycs	0/231
RSH	JESD22- B106	Ta = 265C, 10 sec	- 0/3	

#### Qual Vehicle Device: SZNZ8F47VMX2WT5G RMS: 76656 / 79361 Package: X2DFN

Test	Specification	Condition	Interval	Results
HTRB	JESD22-A108	Tj= max, V=100% rated V	1008 hrs	0/231
HTSL	JEDS22- A103	Temp.=150°C,no bias	2016 hrs	0/231
SSOP	MILSTD750-1	Tj= max, V=100% rated IZ max	2016hrs	0/231
PC	JESD22-A113	MSL 1 @ 260 °C	Before H3TRB, TC, UHAST, IOL	0/924
H3TRB	JESD22-A101	Temp = 85C, RH=85%, bias = 80% of rated V or 100V max	2016 hrs	0/231
TC	JESD22 A104	Ta= - 65°C to +150°C	1000 сус	0/231
UHAST	JESD22 A118	Ta=130C, 85% RH, no bias	96 hrs	0/231
IOL	MIL-STD-750	Ta=+25°C, delta Tj=100°C, On/off = 2 min	30000 cycs	0/231
RSH	JESD22- B106	Ta = 265C, 10 sec	-	0/30

### Qual Vehicle Device: SNSR201MXT5G RMS: 77684 Package: X2DFN

Test	Specification	Condition	Interval	Results
HTRB	JESD22-A108	Tj= max, V=100% rated V, 1008 Hrs	1008 hrs	0/231

# onsemi

#### **Electrical Characteristics Summary:**

Electrical characteristics are not impacted.

#### List of Affected Parts:

**Note:** Only the standard (off the shelf) part numbers are listed in the parts list. Any custom parts affected by this PCN are shown in the customer specific PCN addendum in the PCN email notification, or on the **PCN Customized Portal**.

Part Number	Qualification Vehicle	
NSR0240MXWT5G	NSVBAS21MX2WT5G	
NSR201MXT5G	NSVBAS21MX2WT5G + SNSR201MXT5G	
ESD5581N2T5G	SZNZ8F47VMX2WT5G	
ESD7241N2T5G	SZNZ8F47VMX2WT5G	
ESD7410N2T5G	SZNZ8F47VMX2WT5G	
ESD7462N2T5G	SZNZ8F47VMX2WT5G	
ESD7551N2T5G	SZNZ8F47VMX2WT5G	
ESD7571N2T5G	SZNZ8F47VMX2WT5G	
ESD8551N2T5G	SZNZ8F47VMX2WT5G	
ESDM3033N2T5G	SZNZ8F47VMX2WT5G	
ESDU3121MXT5G	SZNZ8F47VMX2WT5G	
ESDM3551N2T5G	SZNZ8F47VMX2WT5G	
ESDM3051N2T5G	SZNZ8F47VMX2WT5G	

### Appendix A: Changed Products

Product	Customer Part Number	Qualification Vehicle	New Part Number	Replacement Supplier
ESDU3121MXT5G		SZNZ8F47VMX2WT5G	NA	
ESDM3051N2T5G		SZNZ8F47VMX2WT5G	NA	
ESD7571N2T5G		SZNZ8F47VMX2WT5G	NA	
ESD7551N2T5G		SZNZ8F47VMX2WT5G	NA	
ESD7410N2T5G		SZNZ8F47VMX2WT5G	NA	
ESD7241N2T5G		SZNZ8F47VMX2WT5G	NA	
ESD5581N2T5G		SZNZ8F47VMX2WT5G	NA	
NSR201MXT5G		NSVBAS21MX2WT5G + SNSR201MXT5G	NA	
ESDM3551N2T5G		SZNZ8F47VMX2WT5G	NA	