

## Product/Process Change Notice - PCN 15\_0033 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. Any inquiries or requests with this PCN (additional data or samples) must be sent to ADI within 30 days of publication date. ADI contact information is listed below.

**PCN Title:** AD9671/AD9675 Die Revision Publication Date: 23-Mar-2015 **Effectivity Date:** 23-Mar-2015 (the earliest date that a customer could expect to receive changed material) **Revision Description:** Initial Release **Description Of Change** Revision of a digital circuit block on the JESD204B serializer so that it is not powered down during STANDBY mode. Reason For Change The JESD204B link resets and does not properly recover from STANDBY mode. Impact of the change (positive or negative) on fit, form, function & reliability The revision restores proper/intended function after returning to RUN mode from STANDBY mode as described in the product datasheet. Change results in small increase to standby power dissipation. Product Identification (this section will describe how to identify the changed material) 1506 or later **Summary of Supporting Information** Due to the minor nature of the change no qualification testing required.

Supporting Documents None

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.							
Americas:	PCN_Americas@analog.com	Europe:	PCN_Europe@analog.com	Japan:	PCN_Japan@analog.com		
				Rest of Asia:	PCN_ROA@analog.com		

Appendix A - Affected ADI Models					
Added Parts On This Revision - Product Family / Model Number (2)					
AD9671 / AD9671KBCZ	AD9675 / AD9675KBCZ				

Appendix B - Revision History					
Rev	Publish Date	Effectivity Date	Rev Description		
Rev	23-Mar-2015	23-Mar-2015	Initial Release		

Analog Devices, Inc.

DocId:3201 Parent DocId:None Layout Rev:7